## (12) UK Patent Application (19) GB (11) 2 294 323 (13) A

(43) Date of Printing by UK Office 24.04.1996

- (21) Application No 9523723.6
- (22) Date of Filing 14.06.1994
- (30) Priority Data (31) 9312327
- (32) 15.06.1993
- (33) GB
- (86) International Application Data
  PCT/GB94/01276 En 14.06.1994
- (87) International Publication Data W094/28804 En 22.12.1994
- (71) Applicant(s)

**British Technology Group Limited** 

(Incorporated in the United Kingdom)

101 Newington Causeway, LONDON, SE1 6BU, United Kingdom

(72) Inventor(s)
Richard James Dewhurst
Peter Alfred Payne
Qing Xin Chen

Kok Fu Pang

(51) INT CL<sup>6</sup>

A61B 17/22, G01S 15/89, H04R 17/00

- (52) UK CL (Edition O )
  G1G GED G6A G9X
  H4J JCX J30X J31J J31P J31V
  U1S S1032
- (56) Documents Cited by ISA


  EP 0329492 A WO 92/16140 A WO 92/07623 A

  US 5163432 A

  PATENTS ABSTRACTS OF JAPAN, Vol.15, no.252
  (C-0844) & JP 30 082 482 A PATENTS ABSTRACTS OF
  JAPAN, Vol.15, no.337 (C-0862) & JP 31 031 242 A
- (58) Field of Search by ISA INT CL<sup>5</sup> A61B, G01N
- (74) Agent and/or Address for Service
  John Shield Gaskin
  British Technology Group Limited,
  Patents Department, 101 Newington Causeway,
  LONDON, SE1 6BU, United Kingdom<sup>6</sup>

## (54) Laser ultrasound probe and ablator

(57) A laser ultrasound probe, suitable for intravascular use, of the kind having an ultrasonic transducer element comprising an ultrasound receiving surface of piezoelectric polymeric material and an optical fibre with one end directed forwardly from that surface and arranged to receive laser radiation for transmission through the optical fibre and emission from the said one end thereof, wherein the optical fibre is coupled with laser source means adapted to provide alternatively a relatively low average power laser beam, which, when modulated or pulsed and emitted from the one end of the optical fibre and incident on a target, will generate ultrasound at an intensity suitable to be received by the transducer element and converted thereby into electrical monitoring signals, and a relatively high average power laser beam suitable, when incident on the said target, to produce ablation thereof, the transducer element being sufficiently robust to withstand the ultrasound which is then also generated. The relatively low average power laser beam may alternatively be at a first wavelength which, when modulated or pulsed and emitted from the on end of the optical fibre into a medium which is highly absorptive at that wavelength, will cause said medium to generate and propagate ultrasound at an intensity suitable to be reflected by a target contacted by said medium and received by the transducer element and converted thereby into electrical monitoring signals, the relatively high average power laser beam being then at a second wavelength at which the said medium is transmissive and being suitable, when incident on the said target, to produce ablation thereof, the transducing element being



3B 2 294 32:

15

20

- 1 -

## LASER ULTRASOUND PROBE AND ABLATOR

This invention relates to probes comprising a forward-looking ultrasound receiver and optical fibre means for directing laser signals on to a target to generate ultrasound to be sensed by the ultrasound receiver, especially for use in intra-arterial imaging and, preferably, therapy.

It has been proposed, in a paper entitled "Analysis of the acoustic response of vascular tissue irradiated by an ultraviolet laser pulse" by H. Crazzolara et al. (J. Appl. Phys. 70 (3), 1847-9, 1991), to use an ultrasound probe comprising a disc of a piezoelectric polymer, specifically polyvinylidene fluoride (PVDF), supported on an end of a metal rod element, to monitor the ultrasound generated during ablation of a target by incidence upon it of laser beam pulses emitted from an end of an optical fibre which is physically separate from the ultrasound probe, thereby to distinguish between incidence of the laser pulses on normal arterial wall material and on calcified hard tissue of a sample of arterial material being investigated in vitro.

Probes of the general kind to which the present invention relates have also previously been described, in UK Patent Specification No. 2212920, which describes inter alia such a probe in which the ultrasound receiver comprises a dished circular transducer element of a piezoelectric polymer material 25 such as PVDF and an optical fibre projects coaxially through the centre of the transducer element and has an end. In front of the transducer element, from which laser beam pulses are emitted in use of the apparatus to strike a target, preferably at a focus of the dished transducer element, causing it to emit laser-induced ultrasound signals, which are received by the transducer element, thus enabling the target to be investigated ultrasonically.

It is an object of the present invention to provide an improved laser ultrasound probe, suitable for intravascular use, of the kind having an ultrasonic transducer element comprising an 35 ultrasound receiving surface of piezoelectric polymeric material

30

35

and an optical fibre with one end directed forwardly from that surface and arranged to receive laser radiation for transmission anthrough the optical fibre and emission from the said one end page regres of the reption, seen of massering assessment of the subtle opening of

y was 5 - - Accordings to one caspect to state invention, the soptical fibre to the second such that appropriate coupled with daser source, means adapted to and the second of the second transfer of the second of the programs whichse when smodulated , or pulsed and remitted from the one end of the optical fibre and incidents on a target, will generate and intensity countries of the foreceived by the transducer elements and converted thereby into monitoring signals, and a relatively high average power laser beam suitable, when incident on the said target, to produce ablation thereof, the transducer element being sufficiently - 15cg robust to withstand the ultrasound which is then also generated.

another aspects of the invention, the optical fibre of such a probe is coupled with laser source means adapted and to provide alternatively a relatively low-average power laser see sbeam at a first wavelength which, when modulated or pulsed and 20 emitted from the one end of the optical fibre into a medium which is highly absorptive at that wavelength, will cause said medium to generate and propagate ultrasound at an intensity suitable to be reflected by a target contacted by said medium and received by the transducing element and converted thereby into electrical monitoring signals, and a relatively high average power laser to a beam matical second wavelength at which the said medium is transmissive and suitable, when incident on the said target, to produce ablation thereof, the transducing element sufficiently robust to withstand the ultrasound which is then also generated.

> In a particular form of this last-mentioned probe accordance with the invention, the said one end of the optical fibre is directed in a forward longitudinal direction of the probe and the said ultrasonic transducer element is a forward probe, susceptible looking transducer element of the

1 % to 25 11

30

ultrasound generated and propagated forwardly in the said medium and reflected by a first target located in the forward direction, and the probe is further provided with at least one sideways—looking ultrasonic transducer element susceptible to ultrasound generated and propagated in the said medium and reflected by a second target contacted by the medium and disposed laterally of the probe. Preferably such a probe is provided with a plurality, say sixteen, sofe the sideways—looking transducer elements, disposed circumferentially round the probe and each having its own electrical output-signal connection for connection to signal processing apparatus for image derivation.

In any of the embodiments of the invention as referred to above, the said one end of the optical fibre preferably projects through and forwardly from the said ultrasound receiving surface.

Preferred embodiments of an improved laser ultrasound probe according to the invention are described below with reference to the accompanying drawings, in which:

Figure 1 is a general perspective view showing a probe according to the invention, together with coupling means for 20 coupling an optical fibre of the probe to laser source means and electrical output connections from a piezoelectric ultrasound transducer of the probe to electrical receiver means (not shown);

Figures 2 and 3 are respectively an elevational view and a longitudinal sectional view, both on a larger scale; of the probe shown in Figure 1;

Figure 4 and 5 are longitudinal sectional views of two further embodiments of a probe according to the invention, incorporating minor constructional modifications of that shown in Figures 2 and 3;

Figure 6 is a phantom perspective view showing an electrical connection of the probe shown in Figure 5;

Figure 7 is a longitudinal sectional view of another probe in accordance with the invention; and

Figure 8 is a cross-section taken on the line VIII-VIII of 35% Figure 7.

- 4 -

The probe shown in Figure 1 comprises a probe head 11, from a front end face of which projects one end of an optical fibre 12 (which may suitably be a PCS 600 optical fibre), and a cable 13 and through which ether probe head; He is discurred and through which extend proper 5% themoptical fibre 12 and annelectrical connection from the probe response to the head has will be been described to The connection between the probe the cable 13 may obe covered and mechanically The strengthened by the provision of a shrunk-on-sleeve 14 of the suitable plastics material, as shown in Figure 1.2. At its other 10 mend, the cable 13 extends into a signal connector or manifold 15 which includes an electrical socket 16, for example a standard SMC socket, at which the electrical connection from the probe head 11 is terminated. The optical fibre 12 extends continuously through and beyond the manifold 15, and within a protective 15 extension cable covering 17, to an optical fibre connector 18, such as a standard SMA optical fibre connector. By means of the was a seconnector 18 the probe head like is connected to the output of a laser (not shown) operable selectively at either of two different output levels or (as shown schematically in Figure 1) to the 20 outputs of two lasers L1 and L2 each operable at a respective one of two different output levels. Thus the exposed end of the optical fibre 12 can be made to emit either lower average power pulses of laser light which, on striking a target, generate ultrasonic pulses which impinge on the probe head 14 and are 25 miconverted into electric signals which appear at the socket 16 for processing in an ultrasonic investigation of the target, or highermaverage power laser pulses suitable to produce ablation of 

The probe head 11 shown in Figure 1, and its connection to the cable 13, are shown on a larger scale and in detail in Figures 2 and 3. The probe head 11, as best seen from Figure 3, comprises a stepped cylindrical shell 20 of perspex or other suitable electrical insulating material, of which the smaller-diameter section is internally threaded to receive a brass or other conductive screw 21 with an axial bore 22 through

25

30

which the optical fibre 12 extends. The interior of the largerdiameter section of the shell 20 is filled with a silver-loaded epoxy resin plug 23 (through which the optical fibre 12 also The plugh 23 and the surrounding edge of the to be seen 5 to shell 20 provide absupport for a piezoelectric transducer element with the form of a superposed film 24 of a piezoelectric polymer. the same table suitably PVDF, provided with a metablised surface film 25 on its surface remote from the plug 23.7 The piezoelectric film 24 is to the sum of bonded with a subtable adhesive, for example cyanoacrylate, to हैं है कि 10% the plug 23 and to the annular and of the shell 20 which ensures electrical isolation of the plug 23 from the metallised film 25. The film 25 is covered by a finishing surface layer 26 of silver conductive paint which also covers the outer surface of the shell 20. New York Control of the second second

The cable 13 has at its centre the optical fibre 12 and also includes an inner electrical conductor in the form of an enamelled copper wire 27 of which one end; stripped of its insulating enamel, is wrapped around the threads of the screw 21 where it is held in place by means of a shrunk-on heat-shrink sleeve 28. The cable 13 also fincludes and outer screening conductor formed by a braided copper sheath 29, and one end of this is secured by means of silver-loaded epoxy resin 30 to the conductive paint coating 26 of the shell 20.

Thus one surface of the PVDF film 24 is electrically connected by its metallic film layer 25, the conductive paint layer 26 (which also serves as an extension of the external screening) and the silver-loaded epoxy bond 30 to the outer conductor 29 of the cable, while the other surface of the film 24 is in contact with the silver-loaded epoxy plug 23 and is electrically connected through it and the screw 21 to the cable inner conductor 27; and the inner and outer conductors of the cable are connected respectively to the inner and outer contacts of the socket 16.

The probe heads shown in Figures 4, 5 and 6, are similar to that shown in Figures 2 and 3, and corresponding parts are

25

35

indicated by the same reference numerals. In the probe head shown in Figure 4, however, the inner conductor 27 is bonded and electrically connected directly to the silver-loaded conductive epoxy plug 23, by means of a further added small body of silver-loaded conductive epoxy resim 21a, the conductive screw 21 of the head shown in Figure 3 being omitted. In the head shown The form of the Figures 5 and 6,5 the himser conductor 27 is conductively secured to one end of a copper wire conductor 21b by means of solder 21c, the other end of the conductor 21b being formed as a loop embedded in the silver-loaded epoxy plug 23 (as best seen in Figure 6) and in good electrical connection therewith. In this case a shrunk-on heat-shrink sleeve 28 protects the soldered connection between the conductors 27 and 21b and provides insulation from the outer conductive sheath 29.

The above-described embodiments of the invention provide robust and constructionally simple forward-looking probe heads for use in investigating (and preferably also ablating) arterial blockages. Any of the above-described probe heads according to the invention may without difficulty be made with an outside diameter no greater than 3mm, which is probably as small as will be required for medical purposes since such a probe may be used to investigate and ablate blockages in correspondingly small arterial vessels, and smaller vessels, if they become blocked, become bypassed in any event.

The use of piezoelectric polymeric material, in particular PVDF, rather than a piezoelectric ceramic, as the ultrasonic transducer is preferred for several reasons. Firstly, PVDF provides a much better acoustic impedance match with body tissue or fluid than does a ceramic, and is a much better receiver of ultrasonic signals. Also, PVDF is inherently wideband in its frequency response because of its higher internal losses compared with piezoelectric ceramic materials, thereby tending to reduce the amount of ultrasonic wave reverberation within the transducer material and thereby tending to increase the resolution of the transducer. Furthermore, PVDF is robust rather than brittle, and

is therefore well able to withstand ultrasound, generated during high-power use of the probe to effect tissue ablation.

and the state of it will be understood that although in the illustrated probe heads the PVDF film 24 is metallised on only one surface, with 5 reliance being splaced on good all-over contact of its other surface with the conductive epoxy wesing plug 23, this other surface of the film may also be metallised if desired to remove the necessity of good all-over contact (so long, as care is taken to avoid short-circuiting to the film 25 or the paint layer 26). , Majlo, Also, instead of applying a pre-formed film, 24,, the film-form transducer element may be formed in situ by applying to the end of the plug 23 a solution of the PVDF polymer in a suitable solvent, spinning the device to remove excess, and heat-treating and subsequently poling the coated polymer layer to render it pictor 15 m piezoelectrically active. - The second active.

it will also be understood that although the PVDF film 24, which may be some 10µm in thickness, is shown as being flat it may be slightly dished (for example by slightly dishing the supporting end of the epoxy plug 23) in order to provide a 20 focussing effect. Alternatively, as is described in UK Patent Specification No. 2212920, already referred to, a focusing effect may be obtained by dividing the PVDF film into electrically separate annular zones each of which generates its own signal, with due account being taken of phase differences between the but, as will be recognised, this requires a separate signals; electrical connection for each of the annular zones and would necessitate some redesign of the probe heads to provide such -multiple connections.

For carrying out an ultrasonic examination by means of a 30 probe according to the invention, the optical fibre in the cable 17 is fed via the connector 18 from a suitable laser source, which may conveniently be a conventional Q-switched Nd:YAG laser emitting pulses of 20 ns duration at a repetition frequency of, say, 50 Hz and a laser wavelength of 1.06µm focused 35 by a lens of, say, 4 cm focal length into one end of an optical

35

fibre which the other end is connected through connectors 18 to the optical fibre in the cable 17 and thus to the optical fibre 12. The output of the laser may be attenuated by the such as level that the 5 energy delivered by each laser pulse emitted from the exposed end of the optical fibre 12 is about 3 mJ. Pulses of this energy have been demonstrated as being quite adequate to excite a target surface into ultrasonic oscillation which is easily detectable by transducer of the kind constituted by the PVDF film 12. 10 resulting electrical signals provided by the probe head 11 are processed in known manner to provide ultrasonic imaging.

The same laser may be re-adjusted to provide a higher-energy output suitable for ablating the target, for example by switching the laser to operate in a normal mode instead of a Q-switch mode.

It will, however, be understood that alternative low and high laser energy levels may be achieved in other ways. At the target surface, the important parameter is power per unit area, and this can be varied by de-focussing the spot illuminated by the laser, either by altering the distance of the end of the optical fibre 20 from the target surface, and/or by altering the optical system by which the laser output beam is fed to the optical fibre system. Alternatively, as indicated schematically in Figure 1, the different laser power levels may be derived from two different lasers LI and L2, possibly operating at different wavelengths, 25 -connected to respective optical fibre transmission systems which merge before reaching their common connection to the connector 18.

Figures 7 and 8 illustrate a more elaborate probe head the invention which includes not according to forward-looking ultrasound receiving transducer element but also 30 a plurality of sideways-looking transducer elements, all intended to receive ultrasound generated by a laser beam transmitted down an axial optical fibre 12. The probe head, indicated generally by the reference numeral 31, has an electrically conductive metallic central microtube 32 through which the optical fibre 12 extends, and surrounding the microtube 32 are an electrically

- 9 -

The electrode 33, and the cylindrical peripheral surface of the body 34 and the associated electrodes 35, are coated with a continuous layer 37 of suitable piezoelectric polymer such as PVDF. As described above, this may be applied by a spin coating process in which PVDF is applied in a suitable solvent, the epoxy resin body 34 is rotated to obtain an even distribution of the applied layer, and the layer is then dried, heat treated and poled to render it piezoelectrically active.

A terminal cap 38 is secured by means of a suitable adhesive to that end of the body 34 which is provided with the electrode terminations 36. The cap 38 is formed with a plurality of bores 39, each in register with a respective termination 36, for receiving a respective terminal wire 40 to connect electrically with the termination 36. The bores 39 are of enlarged diameter at their ends adjacent the terminations 36, so that a small quantity of electrically conductive silver-loaded epoxy resin 41 inserted through each bore before fitting of the respective wire 40 may be forced by insertion of the wire into good contact both with the wire and with the adjacent termination 36. cap 38 has a further bore, 42, which accommodates a further

20

30

- 10 -

terminal wire, 43, which is electrically connected, by solder or silver=loaded epoxy resin 44, to the microtube 32 and thus to the The second electrode 330 to 300 to

Finally, the outer surfaces of the PVDF layers 37 is covered 5 with a layer of silver-loaded electrically conductive paint 45, which also extends over the outer sunface of the cap 38. It will the probe the understood that, ffor use, the probe head 3 lis secured on the fire a feet of end of arcable which (like the gable 13 described above) has the optical fibre 12° extending through it and has an electrically 10 Conductive outer sheath to which the conductive paint layer 45 is connected so as to constitute an extension of the electrical shielding provided by the cable sheath. In this case, the cable also includes seventeen signal conductor wires, of which one is the state acconnected to the terminal wire 43 and each of the others is 15 connected to a respective one of the terminal wires 40, the signal conductor wires being enamelled or otherwise insulated from one another and connected at their other ends to respective pins of a multi-pin socket corresponding to the socket 16 shown Here the tell in Figure (1) we have a second of the tell of the control of the co

5:20 ... The layer 37 of piezoelectric polymeric material in the probe head 31 is continuous over the electrode 33 and all the electrodes 35, but each of its regions covering one of these electrodes, and sandwiched between that electrode and overlying outer paint layer 45, constitutes an effectively 25 separate sultrasonic transducer element, with substantially no cross-talk from one transducer element to another. It will be appreciated that although for purposes of illustration the layer 37 is shown as having substantial thickness, in practice lits thickness may be only some 10 um or less and lateral transmission of ultrasonic vibration (which in any case is quite heavily (damped) is minimal. Thus the probe head 31 incorporates a forward-looking ultrasonic transducer element relectrical output signals at the terminal wire 43, and a ring of sideways-looking transducer elements each producing electrical output signals at a respective one of the terminal wires 40.

2.5

100

-20

30

:35

a light to These atransducer coutput signals, applied winspknown manner to appropriate signal processing equipment, enable an ultrasonic image of the surroundings of the probe head 982,74both around and Decision to ahead of it; to be obtained to be according with the

wint Assin the cases of the probe head 11 shown in Figures 1 to 3, tion 17 Eitheroptical Fibrer 12 of the probe thead 31/91s; connected to receive and transmitmalesecond claser, beam of relatively, higher average ात र है 😥 power=csufficient to.provide/ablationaof a target disposed ahead > hardware looksthesexposed endsoft thesopticals fibres 12; rassewell as a first 3 10 laser beam of lower average spowers sufficient to generate to the larget can firest be investigated ultrasonically. As described above with reference to the probe head 11 shown in Figures 1 to 3, the ultrasound may be generated in the target itself by impingement of the first-laser beam upon and in that case the ultrasound from the target impinges directly on the forward-looking transducer element constituted by the spart of the layer 37% overlying the selectrode 33 and indirectly; after reflection at any reflective boundary disposed laterally of the probe head, by any appropriate one or more of the sideways-looking transducer elements constituted by parts of the layer 37 overlying electrodes 35.

However, it is preferred, in the case of a probe provided with sideways-looking transducer elements as shown in Figures 7 and 8, to arrange that the source of the ultrasound shall be not 25% the ultimate target for ablation but the medium immediately in front of the free end-of-the optical fibre 12. It is already established practice, when a probe of this kind is advanced along a blood vessel, to sinject water or saline solution into the vessel so as to displace blood from the part of the vessel around and ahead of the probe head. If, as the laser L1 of Figure 1, there is used an Er:YAG; laser operating at a wavelength of 2.94µm, at which water and saline solution are highly absorptive, suitable laser pulses from that laser emitted from the exposed end of the optical fibre 12 into the water or saline solution ahead of the fibre end are absorbed within a very short

25

30

35

- 12 -

track of the distance eard (generate oultrasound which isomadiated laterally as well ascaforwards so as to be reflected by the vessel walls and the laterality of the probe head as well as by any obstruction or where the constriction dahead; also that both the sideways-looking and the : 1835 forward=100kings: transducer (elements= produce= electrical output signals which, after processing, provide an ultrasonically derived image of the vessel around and ahead of the probe head. second in the state of the second of the probabilities of the probabilities and the second of the probabilities and the second of the second o the exessel walls and an obstruction ahead, before switching to 10 the second claser L2/4 to provide a second claser beam at a wavelength for which the water or saline medium is transmissive and at a power level suitable for ablating the obstruction. It the second that although this choice of a suitable accombination of laser wavelength and absorptive medium, to provide 15 man essentially pulse-echo ctype of laser-generated ultrasonic probe; probe; especially preferred in the case of a probe with sideways-looking ultrasonic transducer elements (since The state provides a lawell defined a ultrasound asounce, win the immediately ahead of the probe, instead of a source at a variable distance ahead), it may also be employed in use of a probe which, like that shown in Figures 2 and 3, is only forward-looking.

> Probes in accordance with the invention may, and preferably do, incorporate, in known manner, means for co-operating with guide wires to assist in steering the probe head along an artery; but, for simplicity and clarity of the disclosure of the invention, no such means or wires are illustrated in the accompanying drawings.

> It will be appreciated that since, in a probe according to the invention, the ultrasonic signals are generated by laser irradiation, an ultrasonic transducer element in such a probe is required only to receive, and not to generate, ultrasound. Piezoelectric polymers are ideal materials for use to form the transducer elements in such a situation, since they have high with conventional sensitivity and, compared "receive" piezoelectric ceramic materials, are chemically more stable,

- 13 -

mechanically more robust and acoustically better matched to water and blood. Due to their low-dielectric-permittivity, they have a larged dielectric good constant, making them a good ultrasonic to a good receivers; a furthermore, a because a of a their chigh internal states of a dielectric and mechanical losses preception is sintrinsically wide with the band.

It may be desimable that the laser 11, providing for the ultrasonic investigation, should be tunable over a range of laser wavelengths. In that case, this laser may be constituted by an optical parametric oscillator, offering a wide range of tunability (from about 2 mm to 200 nm) and a wide range of laser pulse wavelengths. By such means, good discrimination may be obtained between healthy and diseased tissue; for example, at a wavelength of 308 nm, optical penetration depth in tissue is approximately 0.15 mm, permitting an ultrasound centre frequency of the order of 15 MHz, which may prove to be close to the optimum for laser probing. If it transpires that such is the case and a fixed laser wavelength of 308 nm is satisfactory, a compact XeCl excimer laser may be used instead as the laser source.

en egit ilk se koko se moot et te kita viskkasuste eka sekelete elektrolik se visik et elektrolik elektrolik s Eka eka elektrolik et elektrolik se til se til se til se til se sekelet elektrolik se elektrolik se se et eka

In the property of the property o

to mando o la compaña de los asistentes de extra en la compaña de los especiales de la compaña de la compaña d Por asistentes de la compaña de la compa

in the second of the second The second of th

un i viden de la compressante de la productión tompre de la computación de la computación de la computación de Entre la computación de la computación

and the control of th

30

35

Commence to talta a sometime

- 14 -

## CLAIMS

1. A laser ultrasound probe, suitable for intravascular use, of the kind having an ultrasonic transducer element comprising an I will be ultrasound receiving surface of piezoelectric polymeric material services 2.55 wands an hoptical stibre with ione send adirected from and lyafrom that surface and arranged to receive blasemeradiation for transmission through the optical fibre and emission from the said one end will mean mean thereof, becaracterised in that the coptical fibre is coupled with and the laser source means adapted to provide alternatively a relatively 10 low average power laser beam; which, when modulated or pulsed and emitted from the one end of the optical fibre and incident on a target, will generate ultrasound at an intensity suitable to be treceived by the transducer element, and converted thereby into electrical monitoring signals, and a relatively high average services 15 to power laser beam suitable, when incident on the said target, to collection thereof, the transducer relement sufficiently robust to withstand the ultrasound which is then also generated.

2. A laser ultrasound probe, suitable for intravascular use, of 20 othe kind having an ultrasonic transducer element comprising an ultrasound receiving surface of piezoelectric polymeric material and an optical fibre with one end directed forwardly from that surface and arranged to receive laser radiation for transmission through the optical fibre and emission from the said one end thereof, characterised in that the optical fibre is coupled with laser source means adapted to provide alternatively a relatively low average power laser beam at a first wavelength which, when modulated or pulsed and emitted from the one end of the optical fibre into a medium which is highly absorptive at that wavelength, will cause said medium to generate and propagate ultrasound at an intensity suitable to be reflected by a target contacted by said medium and received by the transducing element and converted thereby into electrical monitoring signals, and a relatively high average power laser beam at a second wavelength at which the said medium is transmissive and suitable, when


incident on the said target, to produce ablation thereof, the transducing element being sufficiently robust to withstand the and the condition of the second which is then also generated. We can be also

- promise of 3. A laser ultrasound probe as claimed in Claim 1 or Claim 2. many payors characterised in that the said one endeof the poptical fibre. projects through and forwardly from the said ultrasound receiving and a figure of surface. The applications of the latest the latest
- 4. Allaser ultrasound probetas claimed in Claim 2. characterised insthat the said one end of the optical fibre is directed in a Applied 10 forward. Mongitudinal directions of the probe cand the said ultrasonic transducer element is a forward-looking transducer element of the probe, susceptible to ultrasound generated and propagated forwardly in the said medium and reflected by a first target located in the forward direction; and the probe is further provided with at least one sideways-looking ultrasonic transducer element susceptible to ultrasound generated and propagated in the said medium and reflected by a second target contacted by the medium and disposed laterally of the probe.
  - 5. At laser ultrasound probe as claimed in Claim 4 and provided with a plurality, suitably sixteen, of the sideways-looking transducer elements, disposed circumferentially round the probe and each having its own electrical output-signal connection for connection to signal processing apparatus for image derivation.
  - 6. A laser ultrasound probe substantially as described herein with reference to any of the accompanying drawings400 25

of the control of the The second of th The state of the s

The second second of the second secon

The Marie Space of the second section of the second



THE THE WAS THE TOTAL STATE OF




Fig. 2

Fig. 3




Fig. 4

Fig.5




Fig. 6

5/5




Fig. 7